

Fixed Focus Lens

Item	Unit Price (JPY/FOB Tokyo)	Magnification	Working Distance (mm)	Telecentric Lens	Coaxial lighting function	Resolution (TVline)	Resolving Power (μ m)	Dimintions (mm)	Depth of filed (mm)	Distortion	Image sensor size /max
YRJ5000	46,000	0.14	90	—	—	1000	130	ϕ 29.9 × 31.8	±5.0	Less than 0.1%	2/3inch
YJS5000	48,000	0.30	90	—	—	1000	60	ϕ 29.9 × 29.8	±1.2	Less than 0.1%	2/3inch
YJQ4000	49,000	0.50	90	—	—	1000	36	ϕ 29.9 × 50.5	±0.8	Less than 0.1%	2/3inch
YRH4000	50,000	1.0	90	—	—	1000	18	ϕ 29.9 × 92.6	±0.3	Less than 0.1%	2/3inch
MQM1000	85,000	2.0	75	○	○	940	8	ϕ 16.0 × 76.2	±0.2	Less than 0.2%	2/3inch
MQM2000	60,000	2.0	75	○	—	940	8	ϕ 16.0 × 72.8	±0.2	Less than 0.2%	2/3inch
MQJ1000	85,000	4.0	75	○	○	470	4	ϕ 16.0 × 107.1	±0.1	Less than 0.2%	2/3inch
MQJ2000	60,000	4.0	75	○	—	470	4	ϕ 16.0 × 103.6	±0.1	Less than 0.2%	2/3inch
MQK1000	95,000	6.0	75	○	○	310	3	ϕ 16.0 × 107.1	±0.07	Less than 0.2%	2/3inch
MQK2000	70,000	6.0	75	○	—	310	3	ϕ 16.0 × 103.6	±0.07	Less than 0.2%	2/3inch
MQL1000	95,000	8.0	75	○	○	230	3	ϕ 16.0 × 107.1	±0.06	Less than 0.2%	2/3inch
MQL2000	70,000	8.0	75	○	—	230	3	ϕ 16.0 × 103.6	±0.06	Less than 0.2%	2/3inch

*The availability of above lenses depends on circumstance. Please contact us to check the stock status.